L Number	Hits	Search Text	DB	Time stamp
-	4	("6600162").PN.	USPAT;	2003/11/06 18:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	023960.ap.	USPAT;	2003/11/06 12:14
		025500.up.	US-PGPUB;	2003/11/00 12.14
			EPO; JPO;	
			DERWENT;	
-	2	502(50 an	IBM_TDB	2002/11/06 12:14
-	2	583658.ap.	USPAT;	2003/11/06 12:14
			US-PGPUB;	
			EPO; JPO;	
-			DERWENT;	1
			IBM_TDB	
-	5	853658.ap.	USPAT;	2003/11/06 12:16
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	5	851066.ap.	USPAT;	2003/11/06 12:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l _	5	813907.ap.	USPAT;	2003/11/06 12:19
	,	013307.ap.	US-PGPUB;	2003/11/00 12.19
			EPO; JPO;	
			DERWENT;	
		000075	IBM_TDB	2002/44/05 42 20
-	4	903075.ap.	USPAT;	2003/11/06 12:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	[
		,	IBM_TDB	
-	5	902928.ap.	USPAT;	2003/11/06 12:20
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	4	902880.ap.	USPAT;	2003/11/06 12:20
			US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
-	448595	train\$3 or learn\$3	USPAT;	2003/11/07 09:18
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u> </u>	30968	(train\$3 or learn\$3) and database	USPAT;	2003/11/07 00:19
} ⁻	30300	(uampo or reampo) and database		2003/11/07 09:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9887	((train\$3 or learn\$3) and database) and attribut\$2	USPAT;	2003/11/07 09:19
			US-PGPUB;	
[[EPO; JPO;]
]			DERWENT;	
			IBM_TDB	

-	3860	(((train\$3 or learn\$3) and database) and attribut\$2) and behavior	USPAT; US-PGPUB;	2003/11/07 09:19
			EPO; JPO; DERWENT;	
-	2081	((((train\$3 or learn\$3) and database) and attribut\$2) and behavior) and predict\$3	IBM_TDB USPAT; US-PGPUB;	2003/11/07 09:19
			EPO; JPO; DERWENT;	
-	1909	(((((train\$3 or learn\$3) and database) and attribut\$2) and behavior) and predict\$3) and model	IBM_TDB USPAT; US-PGPUB;	2003/11/07 09:43
			EPO; JPO; DERWENT;	
-	87	(((train\$3 or learn\$3) and database) and attribut\$2) and (behavior adj model)	IBM_TDB USPAT; US-PGPUB;	2003/11/07 09:20
			EPO; JPO; DERWENT; IBM_TDB	
-	1358	((((((train\$3 or learn\$3) and database) and attribut\$2) and behavior) and predict\$3) and model) and random	USPAT; US-PGPUB;	2003/11/07 09:43
			EPO; JPO; DERWENT; IBM_TDB	
-	1293	(((((((train\$3 or learn\$3) and database) and attribut\$2) and behavior) and predict\$3) and model) and random) and	USPAT; US-PGPUB;	2003/11/07 09:44
		(optim\$3 or best)	EPO; JPO; DERWENT; IBM_TDB	
-	1286	((((((((train\$3 or learn\$3) and database) and attribut\$2) and behavior) and predict\$3) and model) and random) and (optim\$3 or best)) and require\$5	USPAT; US-PGPUB; EPO; JPO;	2003/11/07 09:44
			DERWENT; IBM_TDB	
-	711	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO;	2003/11/07 09:45
	266		DERWENT; IBM_TDB	2002/14/07 00 45
-	366	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO;	2003/11/07 09:45
	332	(((((((((train\$3 or learn\$3) and database) and attribut\$2)	DERWENT; IBM_TDB USPAT;	2003/11/07 10:01
	332	and behavior) and predict\$3) and model) and random) and (optim\$3 or best)) and require\$5) and business) and metric)	US-PGPUB; EPO; JPO;	2003/11/07 10:01
_	1	and space (((((((train\$3 or learn\$3) and database) and attribut\$2)	DERWENT; IBM_TDB USPAT;	2003/11/07 09:45
		and behavior) and predict\$3) and model) and random) and (optim\$3 or best)) and require\$5) and (business adj metric	US-PGPUB; EPO; JPO;	, ==, ==
-	1417	adj space) (((((((train\$3 or learn\$3) and database) and attribut\$2)	DERWENT; IBM_TDB USPAT;	2003/11/07 10:02
		and behavior) and predict\$3) and model) and map\$4 and (optim\$3 or best)) and require\$5)	US-PGPUB; EPO; JPO; DERWENT;	
	<u> </u>		IBM_TDB	

-	1024	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/07 10:03
-	454	((((((((((((((((((((((((((((((((((((((IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/07 10:03
-	451	((((((((((((((((((((((((((((((((((((((IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/07 10:03
-	430	((((((((((((((((((((((((((((((((((((((IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/07 10:04
-	641	((((((((((((((((((((((((((((((((((((((IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:04
-	500	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:04
•	539	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:06
-	482	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/07 10:06
-	367	((((((((((((((((((((((((((((((((((((((IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:07
-	366	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:07
-	11	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:08
-	362	program\$4) ((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 10:12

-	184	((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/07 10:14
		attribut\$2) and behavior) and predict\$3) and model) and	US-PGPUB;	
		map\$4 and (optim\$3 or best)) and require\$5)) and strategy)	EPO; JPO;	
		and business) and (web or internet)) and dimension\$2) and	DERWENT;	
		bus) and memory) and processor) and vector	IBM_TDB	
-	97	((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/07 10:37
		attribut\$2) and behavior) and predict\$3) and model) and	US-PGPUB;	
		map\$4 and (optim\$3 or best)) and require\$5)) and strategy)	EPO; JPO;	
		and business) and (web or internet)) and dimension\$2) and	DERWENT;	
		bus) and memory) and processor) and vector) and customer	IBM_TDB	
-	30	((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/07 10:38
		attribut\$2) and predict\$3) and (behavior adj model)) and	US-PGPUB;	
		map\$4 and (optim\$3 or best)) and require\$5)) and strategy)	EPO; JPO;	1
		and business) and (web or internet)) and dimension\$2) and	DERWENT;	
		bus) and memory) and processor) and vector) and customer	IBM_TDB	
-	26	(5930803, 5995945, 6185543, 6340977, 6345239, 6434568,	USPAT;	2003/11/07 12:53
ļ		6434628, 6438594, 6519571, 6529909, 6601234, 6609128,	US-PGPUB;	:
		6640238, "6640244").pn.	EPO; JPO;	•
			DERWENT;	
	1.0	//F020002 F00F04F C40FF42 C240077 C24F222	IBM_TDB	2002/44/27 44 72
-	13	((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 11:50
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database	DERWENT;	
	4.5	///500000 5005045 (405540 6040077 6045000	IBM_TDB	2002/14/07 14 54
-	13	(((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 11:51
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3	DERWENT;	
	42	////5020002 5005045 6405542 6240077 6245220	IBM_TDB	2002/44/07 44.52
-	12	((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 11:53
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
ľ	İ	database) and attribut\$2 and predict\$3) and map\$4 and	DERWENT;	
	1 43	require\$5	IBM_TDB USPAT;	2002/11/07 11:52
-	12	((((5930803, 5995945, 6185543, 6340977, 6345239,	US-PGPUB;	2003/11/07 11:53
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,		
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO; DERWENT;	
	'	database) and attribut\$2 and predict\$3) and (map\$4 or	IBM_TDB	
	12	translat\$5) and require\$5	USPAT;	2003/11/07 11:55
-	13	((((5930803, 5995945, 6185543, 6340977, 6345239, 6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	2003/11/0/ 11.33
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
	1	translat\$5 or fit\$4) and require\$5	IBM_TDB	
1.	13	(((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 11:56
	13	6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	1000,11,07 11.30
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best)	IBM_TDB	
_	13	((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 11:56
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
	1	6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
	1	database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
	1	translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
		and strategy and random	32,00	
-	9	(((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 11:59
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	1000,11,0,11.05
	1	6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
	1	database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
	1	translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
	1	and strategy and random) and (behavior adj model)		
	l	, and the same of		

-	13	(((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 12:32
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
		and strategy and random) and behavior		
-	13	(((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 11:59
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
		and strategy and random) and behavior) and business		
_	12	((((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 12:03
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	2005,11,07 12.05
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	1	
			IBM_TDB	
		and strategy and random) and behavior) and business) and		
	12	customer	LICDAT.	2002/11/07 12:07
-	12	((((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 12:07
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
		and strategy and random) and behavior) and business) and		
		bus and processor and memory		
-	12	(((((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 12:08
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
1		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
		and strategy and random) and behavior) and business) and		
		bus and processor and memory) and web		
-	12	(((((((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 12:08
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
		and strategy and random) and behavior) and business) and		
		bus and processor and memory) and web) and dimension		
-	0	(((((((((((((((((((((((((((((((((((((((USPAT;	2003/11/07 12:09
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	,
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
		and strategy and random) and behavior) and business) and	1511_155	
		bus and processor and memory) and web) and (dimension		
		near vector)		
_	0	((((((((((5930803, 5995945, 6185543, 6340977, 6345239,	USPAT;	2003/11/07 12:09
		6434568, 6434628, 6438594, 6519571, 6529909, 6601234,	US-PGPUB;	2000/11/07 12:09
		6609128, 6640238, "6640244").pn.) and train\$3 and	EPO; JPO;	
		database) and attribut\$2 and predict\$3) and (map\$4 or	DERWENT;	
		translat\$5 or fit\$4) and require\$5) and (optim\$7 or best))	IBM_TDB	
		and strategy and random) and behavior) and business) and	מטו_וטו	
		bus and processor and memory) and web) and (dimension		
		same vector)		
		Same vector)		LJ

-	11	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:14
-	15363	I and promotion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:15
-	10	((((((((((((((((((((((((((((((((((((((USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:15
-	11	((((((((5930803, 5995945, 6185543, 6340977, 6345239, 6434568, 6434628, 6438594, 6519571, 6529909, 6601234, 6609128, 6640238, "6640244").pn.) and train\$\$ and database) and attribut\$2 and predict\$3) and (map\$4 or translat\$5 or fit\$4) and require\$5) and (optim\$7 or best)) and strategy and random) and behavior and linear	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:33
	10	((((((((5930803, 5995945, 6185543, 6340977, 6345239, 6434568, 6434628, 6438594, 6519571, 6529909, 6601234, 6609128, 6640238, "6640244").pn.) and train\$\$ and database) and attribut\$2 and predict\$3) and (map\$4 or translat\$5 or fit\$4) and require\$\$ and (optim\$7 or best)) and strategy and random) and behavior and linear) and logical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:40
-	11	(((((((((5930803, 5995945, 6185543, 6340977, 6345239, 6434568, 6434628, 6438594, 6519571, 6529909, 6601234, 6609128, 6640238, "6640244").pn.) and train\$\$ and database) and attribut\$2 and predict\$3) and (map\$4 or translat\$5 or fit\$4) and require\$5) and (optim\$7 or best)) and strategy and random) and behavior and linear) and division	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:34
•	26	(5930803, 5995945, 6185543, 6340977, 6345239, 6434568, 6434628, 6438594, 6519571, 6529909, 6601234, 6609128, 6640238, "6640244").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 14:40
-	0	706/19.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:53
-	64	706/19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:53
-	0	((5930803, 5995945, 6185543, 6340977, 6345239, 6434568, 6434628, 6438594, 6519571, 6529909, 6601234, 6609128, 6640238, "6640244").pn.) and 706/19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/07 12:53

-	458	706/20.ccls.	USPAT;	2003/11/07 14:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	706/20.ccls. and (train\$3 or learn\$3) and database and	USPAT;	2003/11/07 14:45
		attribut\$2 and predict\$3	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	126	706/21.ccls.	USPAT;	2003/11/07 14:45
			US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	706/21.ccls. and (train\$3 or learn\$3) and database and	USPAT;	2003/11/07 14:46
		attribut\$2 and predict\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	129	706/59.ccls.	USPAT;	2003/11/07 14:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	706/59.ccls. and (train\$3 or learn\$3) and database and	USPAT;	2003/11/07 14:47
		attribut\$2 and predict\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	